



 **weathertex**

PRODUCT CODE BOOK 2025

INTERNAL USE ONLY

WEATHERTEX Overview

Natural Range.....	4 - 5
Weathergroove Panels.....	6 - 7
Selflok Weatherboards.....	8 - 9
Rubix Panels.....	9
Hardboard.....	9
Primelok Weatherboards.....	10
Classic Weatherboards.....	11
Weathertex Accessories.....	12 - 13
Trimtec Accessories.....	14 - 15

Australian owned and manufactured with a better than zero carbon footprint, Weathertex’s timber cladding is the ideal solution for any builder, architect or designer in search for environmentally conscious and high quality material. Weathertex is guaranteed not to rot, split or crack for up to 25 years.

FEATURES AND BENEFITS:

- Made from 97% sustainably sourced hardwood timber and 3% wax.
- Australian made, owned and manufactured.
- Lightweight, low maintenance and quick to install.
- No special tools required for cutting.
- Better than zero carbon footprint.
- Termite resistant.
- 25-year warranty on primed product, 10-year warranty on natural products.
- No added silica, glues, resins or formaldehydes.

SUPPLIER INFORMATION

Enquiries can be made by phoning 1800 040 080 and orders can be placed via fax on 1800 647 926 or email sales@weathertex.com.au. For further technical information visit weathertex.com.au.


DIMENSIONS AND PACKAGING

TRADITIONAL WEATHERBOARDS		LENGTH (mm)	WIDTH (mm)	UNITS PER PACK	CONTENTS m ²
Classic 200		3660	197	144	103.8
Rusticated		3660	197	144	103.8
Shingles Plus		1196	225	120	32.3
SELFLOK WEATHERBOARDS		LENGTH (mm)	WIDTH (mm)	UNITS PER PACK	CONTENTS m ²
Millwood		3660	298	96	104.7
Colonial		3660	298	96	104.7
Ecogroove 75		3660	298	96	104.7
Ecogroove 150		3660	298	96	104.7
Ecogroove 300		3660	298	96	104.7
Texwood		3660	298	96	104.7
Vgroove 150		3660	298	96	104.7
PRIMELOK WEATHERBOARDS		LENGTH (mm)	WIDTH (mm)	UNITS PER PACK	CONTENTS m ²
Primelok 200		3660	197	144	103.8
Federation		3660	168	168	104.5
Shadowood		3660	168	168	104.5
ARCHITECTURAL PANELS		LENGTH (mm)	WIDTH (mm)	UNITS PER PACK	CONTENTS m ²
Rubix Panels	4 x 4	1200	1200	48	69.1
	4 x 3	1200	900	48	51.8
Weathergroove Panels	12 x 4	3660	1196	24	105.1
	10 x 4	3050	1196	24	87.55
	9 x 4	2745	1196	24	78.8

WEATHERBOARD WALL COVERAGE TABLE

	CLASSIC	RUSTICATED	ALL SELFLOK PROFILES	PRIMELOK	FEDERATION / SHADOWOOD	WALL SHINGLES
Weatherboard Width	200	200	298	200	170	225
Weatherboard Lap	20	25	19	25	25	40
NUMBER OF ROWS (x)	WALL HEIGHT COVERAGE (mm)					
Approximation	= 177x + 20	= 172x + 25	= 279x + 19	= 172x + 25	= 143x + 25	= 185x + 40
1	197	197	298	197	168	225
2	374	369	577	369	311	410
3	551	541	856	541	454	595
4	728	713	1135	719	597	780
5	905	885	1414	885	740	965
6	1082	1057	1693	1057	883	1150
7	1259	1229	1972	1229	1026	1335
8	1436	1401	2251	1401	1169	1520
9	1613	1573	2530	1573	1312	1705
10	1790	1745	2809	1745	1455	1890
11	1967	1917	3088	1917	1598	2075
12	2144	2089	3367	2089	1741	2260

NATURAL Range

WEATHERTEX PRODUCT	WEATHERTEX PROFILE	DIMENSIONS (MM)	PACK SIZE	REF	PRODUCT CODE	WEATHERTEX BARCODE
Selflok Ecogroove 75 Natural		3660 x 300	96	WTX	425760	 9 329357 002132
				Bretts	5623287	
Selflok Ecogroove 150 Natural		3660 x 300	96	WTX	425770	 9 329357 001647
				Bretts	51021	
Selflok Vgroove 150 Natural		3660 x 300	96	WTX	450150	 9 329357 001760
				Bretts	105650	
Classic Shingles Plus Natural		1196 x 225	120	WTX	148161	 9 329357 002019
				Bretts	5623270	
Weathergroove 75 Natural		3660 x 1196	24	WTX	108350	 9 329357 001982
				Bretts	W1039	

WEATHERTEX PRODUCT	WEATHERTEX PROFILE	DIMENSIONS (MM)	PACK SIZE	REF	PRODUCT CODE	WEATHERTEX BARCODE
Weathergroove 150 Natural		3660 x 1196	24	WTX	500075	 9 329357 001685
				Bretts	W1036	
Weathergroove 300 Natural		3660 x 1196	24	WTX	500077	 9 329357 001906
				Bretts	W1037	
Weathergroove 1200 Natural		3660 x 1196	24	WTX	500081	 9 329357 002033
				Bretts	500081	
Weathergroove Fusion Natural		3660 x 1196	24	WTX	500087	 9 329357 002071
				Bretts	5616249	


REFER TO PAGE 12-15: For ALL NATURAL Accessories

NOTE: All Natural panels and weatherboards are 9.5mm thick.



WEATHERGROOVE Panels

WEATHERTEX PRODUCT	WEATHERTEX PROFILE	DIMENSIONS (MM)	PACK SIZE	REF	PRODUCT CODE	WEATHERTEX BARCODE
Weathergroove 75 Smooth		3660 x 1196	24	WTX	108300	 9 329357 001975
				Bretts	W1038	
Weathergroove 75 Woodsman		3660 x 1196	24	WTX	108310	 9 329357 001999
				Bretts	5623275	
Weathergroove 150 Smooth		3660 x 1196	24	WTX	108245	 9 329357 000695
				Bretts	W1029	
		3050 x 1196	24	WTX	108246	 9 329357 002170
				Bretts	5623276	
		2745 x 1196	24	WTX	108247	 9 329357 000718
				Bretts	W1009	
Weathergroove 150 Woodsman		3660 x 1196	24	WTX	500073	 9 329357 000824
				Bretts	W1006	
		3050 x 1196	24	WTX	500072	 9 329357 002187
				Bretts	5623279	
		2745 x 1196	24	WTX	500071	 9 329357 000848
				Bretts	W1034	
Weathergroove 150 Ruff-Sawn		3660 x 1196	24	WTX	107249	 9 329357 000336
				Bretts	W1024	




WEATHERTEX PRODUCT	WEATHERTEX PROFILE	DIMENSIONS (MM)	PACK SIZE	REF	PRODUCT CODE	WEATHERTEX BARCODE
Weathergroove 300 Smooth		3660 x 1196	24	WTX	108250	 9 329357 001814
				Bretts	W1030	
		2745 x 1196	24	WTX	108224	 9 329357 001821
				Bretts	W1026	
Weathergroove 600 Smooth		3660 x 1196	24	WTX	108251	 9 329357 001845
				Bretts	W1031	
Weathergroove 1200 Smooth		3660 x 1196	24	WTX	108252	 9 329357 001876
				Bretts	W1032	
		2745 x 1196	24	WTX	108220	 9 329357 001883
				Bretts	W1028	
Weathergroove 1200 Woodsman		3660 x 1196	24	WTX	500084	 9 329357 002026
				Bretts	5623274	
Weathergroove Fusion Smooth		3660 x 1196	24	WTX	108100	 9 329357 002064
				Bretts	5616250	

REFER TO PAGE 12-15: For ALL WEATHERGROOVE Accessories

NOTE: All Weathergroove panels are 9.5mm thick.



SELFLOK Weatherboards

WEATHERTEX PRODUCT	WEATHERTEX PROFILE	DIMENSIONS (MM)	PACK SIZE	REF	PRODUCT CODE	WEATHERTEX BARCODE
Selflok Millwood Smooth		3660 x 300	96	WTX	141592	 9 329357 000091
				Bretts	50241	
Selflok Millwood Ruff-Sawn		3660 x 300	96	WTX	120173	 9 329357 000107
				Bretts	51447	
Selflok Colonial Smooth		3660 x 300	96	WTX	420643	 9 329357 000114
				Bretts	52068	
Selflok Texwood Smooth		3660 x 300	96	WTX	141765	 9 329357 001302
				Bretts	54009	
Selflok Vgroove 150 Smooth		3660 x 300	96	WTX	141600	 9 329357 002255
				Bretts	5623280	
Selflok Ecogroove 75 Smooth		3660 x 300	96	WTX	421604	 9 329357 002125
				Bretts	5623269	
Selflok Ecogroove 150 Smooth		3660 x 300	96	WTX	421601	 9 329357 001265
				Bretts	51008	


WEATHERTEX PRODUCT	WEATHERTEX PROFILE	DIMENSIONS (MM)	PACK SIZE	REF	PRODUCT CODE	WEATHERTEX BARCODE
Selflok Ecogroove 150 Woodsman		3660 x 300	96	WTX	420645	
				Bretts	51009	
Selflok Ecogroove 300 Smooth		3660 x 300	96	WTX	421603	
				Bretts	51006	

REFER TO PAGE 12-15: For ALL SELFLOK Accessories

NOTE: All Selflok weatherboards are 9.5mm thick.



RUBIX Panels

WEATHERTEX PRODUCT	WEATHERTEX PROFILE	DIMENSIONS (MM)	PACK SIZE	REF	PRODUCT CODE	WEATHERTEX BARCODE
Rubix		1200 x 1200	48	WTX	530100	
				Bretts	1053235	
		900 x 1200	48	WTX	530150	
				Bretts	1053236	

REFER TO PAGE 12-15: For ALL RUBIX Accessories



NOTE: All Rubix panels are 9.5mm thick.



HARDBOARD Range

WEATHERTEX PRODUCT	WEATHERTEX PROFILE	DIMENSIONS (MM)	PACK SIZE	REF	PRODUCT CODE	WEATHERTEX BARCODE
Smooth Primed Hardboard 9.5mm		3660 x 1220	50	WTX	102308	
				Bretts	5623281	



PRIMELOK Weatherboards

WEATHERTEX PRODUCT	WEATHERTEX PROFILE	DIMENSIONS (MM)	PACK SIZE	REF	PRODUCT CODE	WEATHERTEX BARCODE
Primelok Smooth		3660 x 200	144	WTX	102332	 9 329357 000145
				Bretts	50292	
Primelok Woodsman		3660 x 200	144	WTX	407755	 9 329357 000916
				Bretts	W1013	
Primelok Federation Smooth		3660 x 170	168	WTX	116607	 9 329357 000183
				Bretts	51446	
Primelok Federation Ruff-Sawn		3660 x 170	168	WTX	140629	 9 329357 000190
				Bretts	51451	
Primelok Shadowood Smooth		3660 x 170	168	WTX	510000	 9 329357 000800
				Bretts	W1014	

REFER TO PAGE 12-15: For ALL PRIMELOK Accessories

NOTE: All Primelok weatherboards are 9.5mm thick.



WEATHERTEX PRODUCT	WEATHERTEX PROFILE	DIMENSIONS (MM)	PACK SIZE	REF	PRODUCT CODE	WEATHERTEX BARCODE
Classic 200 Smooth		3660 x 200	144	WTX	102527	
				Bretts	50539	
Classic Ruff-Sawn		3660 x 200	144	WTX	103206	
				Bretts	50545	
Classic Rusticated Smooth		3660 x 200	144	WTX	134499	
				Bretts	51167	
Classic Shingles Plus Smooth		1196 x 225	120	WTX	148162	
				Bretts	5623272	

REFER TO PAGE 12-15: For ALL CLASSIC Accessories

NOTE: All Classic weatherboards are 9.5mm thick.



ACCESSORIES Range

WEATHERTEX ACCESSORIES	PACK SIZE	SUITABLE PRODUCT	REF	PRODUCT CODE	WEATHERTEX BARCODE
200mm Off Stud Joiner	25	Classic 200 Smooth & Primelok 200 Smooth	WTX	139942	9 329357 000398
			Bretts	51921	
200mm Woodgrain Joiner	25	Classic 200 Ruff-Sawn & Primelok Woodsman	WTX	154092	9 329357 000404
			Bretts	51820	
170mm Concealed Joiner	25	Primelok Shadowood, Federation Smooth & Ruff-Sawn	WTX	148000	9 329357 001029
			Bretts	5623282	
200mm Concealed Joiner	25	Primelok 200 Smooth & Woodsman	WTX	148100	9 329357 000978
			Bretts	50139	
Rusticated Smooth Joiner	25	Classic Rusticated Smooth	WTX	121912	9 329357 000411
			Bretts	51920	
Millwood Smooth Joiner	25	Selflok Millwood Smooth	WTX	427453	9 329357 000442
			Bretts	1041374	
Millwood Ruff-Sawn Joiner	25	Selflok Millwood Ruff-Sawn Joiner	WTX	427454	9 329357 000459
			Bretts	51479	
Colonial Joiner	25	Selflok Colonial Smooth	WTX	425610	9 329357 000923
			Bretts	52069	
Vgroove 150 Smooth Joiner	25	Selflok Vgroove 150 Smooth	WTX	148950	9 329357 002194
			Bretts	5623283	
Ecogroove 75 Smooth Joiner	25	Selflok Ecogroove 75 Smooth	WTX	151100	9 329357 000008
			Bretts	5623284	
Ecogroove 150 Smooth Joiner	25	Selflok Ecogroove 150 Smooth	WTX	148700	9 329357 001357
			Bretts	W1011	
Ecogroove 150 Woodsman Joiner	25	Selflok Ecogroove 150 Woodsman	WTX	148300	9 329357 001364
			Bretts	51917	
Ecogroove 300 Smooth Joiner	25	Selflok Ecogroove 300 Smooth	WTX	148800	9 329357 001371
			Bretts	51237	




WEATHERTEX ACCESSORIES	PACK SIZE	SUITABLE PRODUCT	REF	PRODUCT CODE	WEATHERTEX BARCODE
Texwood Smooth Joiner	25	Selflok Texwood Smooth	WTX	148600	
			Bretts	51916	
Federation Smooth Joiner	25	Selflok Federation Smooth	WTX	129536	
			Bretts	51474	
Federation Ruff-Sawn Joiner	25	Selflok Federation Ruff-Sawn	WTX	146686	
			Bretts	51475	
Shadowood Smooth Joiner	25	Primelok Shadowood Smooth	WTX	148900	
			Bretts	51915	



CAVITY & OTHER ACCESSORIES	PACK SIZE	SUITABLE PRODUCT	REF	PRODUCT CODE	WEATHERTEX BARCODE
Cavity Batten 1200 x 45 x 9.5mm	20	Optional System	WTX	149350	
			Bretts	51935	
Cavity Closer Small 1830mm	10	Optional System	WTX	149400	
			Bretts	W1007	
Cavity Closer Large 1830mm	10	Optional System	WTX	149450	
			Bretts	51936	
Cavity Closer XL 1830mm	10	Optional System	WTX	149460	
			Bretts	5623286	
1830mm Primelok Starter Strip	20	All Primelok Weatherboards	WTX	109350	
			Bretts	50313	
Small Corner Plug	10	Small External Corner	WTX	149750	
			Bretts	51937	
Large Corner Plug	10	Large External Corner	WTX	149850	
			Bretts	51938	

For more information about our Accessories range, scan the QR Code



ACCESSORIES Range

TRIMTEC ACCESSORIES	PACK SIZE	ACCESSORY IMAGE	ACCESSORY MEASUREMENTS	REF	PRODUCT CODE	WEATHERTEX BARCODE
Internal Combo Corner (a= Primelok/Classic b= Weathergroove/ Selflok/Rubix)	5		L = 3660mm a = 20.9mm b = 10.7mm c = 58.3mm d = 48.3mm e = 4mm	WTX	146900	
				Bretts	5623288	
External Combo Corner (b= Primelok/Classic c= Weathergroove/ Selflok/Rubix)	5		L = 3660mm a = 27.3mm b = 20.9mm c = 10.7mm d = 35mm e = 45mm	WTX	146950	
				Bretts	5623289	
Long Vertical Joiner 3660mm (Use for Selflok)	5		L = 3660mm a = 20mm b = 70mm	WTX	150600	
				Bretts	51940	
Large Long Vertical Joiner 3000mm (Use for Primelok & Classic)	5		L = 3000mm a = 27mm b = 70mm c = 20.9mm	WTX	150650	
				Bretts	6623817	
Small Internal Corner (Use for Weathergroove, Selflok & Rubix)	5		L = 3660mm a = 4mm b = 11mm c = 35mm	WTX	149500	
				Bretts	50119	
Large Internal Corner (Use for Primelok & Classic)	5		L = 3000mm a = 4mm b = 21mm c = 35mm	WTX	149600	
				Bretts	50115	
Small External Corner (Use for Weathergroove, Selflok & Rubix)	5		L = 3660mm a = 17mm b = 11mm c = 35mm	WTX	149700	
				Bretts	50118	
Large External Corner (Use for Primelok & Classic)	5		L = 3000mm a = 27mm b = 21mm c = 35mm	WTX	149800	
				Bretts	50117	
Corner Soaker 200mm Primelok Smooth Primelok Woodman Classic Smooth Classic Ruff-Sawn	25		L = 195mm a = 47mm b = 47mm	WTX	149480	
				Bretts	5623290	

TRIMTEC ACCESSORIES	PACK SIZE	ACCESSORY IMAGE	ACCESSORY MEASUREMENTS	REF	PRODUCT CODE	WEATHERTEX BARCODE
Weathergroove Joiner 3660mm (Use for Weathergroove & Classic Shingles Plus)	5		a = 11mm b = 5mm c = 50mm	WTX	146850	
				Bretts	57501	
Weathergroove Joiner 3050mm (Use for Weathergroove & Classic Shingles Plus)	5		a = 11mm b = 5mm c = 50mm	WTX	146845	
				Bretts	5623291	
Weathergroove Joiner 2745mm (Use for Weathergroove & Classic Shingles Plus)	5		a = 11mm b = 5mm c = 50mm	WTX	146840	
				Bretts	57502	
Small Internal LF Corner (Use for Weathergroove, Selflok & Rubix)	5		L = 3660mm a = 27mm b = 11mm c = 55mm	WTX	149555	
				Bretts	W1002	
Small External LF Corner (Use for Weathergroove, Selflok & Rubix)	5		L = 3660mm a = 27mm b = 11mm c = 31mm	WTX	149755	
				Bretts	W1008	
Small End Stop 3660mm (Use for Weathergroove, Selflok & Rubix)	6		L = 3660mm a = 27mm b = 11mm c = 46mm	WTX	150155	
				Bretts	105632	
Large End Stop 3660mm (Use for Primelok & Classic)	6		L = 3660mm a = 27mm b = 21mm c = 46mm	WTX	150255	
				Bretts	57505	
Small Z Flashing 3660mm (Use for Weathergroove)	5		L = 3670mm a = 10mm b = 10mm c = 73mm	WTX	149960	
				Bretts	57507	
Large Z Flashing 3660mm (Use for Weathergroove)	5		L = 3660mm a = 27mm b = 10mm	WTX	149900	
				Bretts	51240	



For latest version of
Bretts Product Code
Book scan QR code.



[weathertex.com.au](https://www.weathertex.com.au)

Last updated 8th January 2025

MOST TRUSTED



BRAND WINNER

UP TO



WARRANTY

BETTER THAN ZERO



CARBON FOOTPRINT

NO ADDED



NASTY CHEMICALS

AUSTRALIAN



MADE & OWNED

TESTED & PROVEN



OVER 50 YEARS

AUSTRALIAN



HARDWOOD

TERMITE



RESISTANT

BAL 19



FIRE RATING